



PRODUCT-DETAILS

## GSH201 AC-C16/0.03

# GSH201 AC-C16/0.03 Residual Current Circuit Breaker with Overcurrent Protection



General Information	
Extended Product Type	GSH201 AC-C16/0.03
Product ID	2TAZ220111R2164
EAN	6940342285342
Catalog Description	GSH201 AC-C16/0.03 Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH201 AC-C16/0.03

Technical	
Standards	IEC 61009
	GB 16917
Tripping Characteristic	C
Type of Residual Current	Type AC
Rated Operational	230 V AC
Voltage	
Rated Current (In)	16 A
Rated Residual Current	30 mA
Rated Short-Circuit	6 kA
Capacity	

© 2024 ABB. All rights reserved.

2024/09/03

### GSH201 AC-C16/0.03

Maximum Breaking Capacity	6 kA
Number of Protected Poles	1
Number of Poles	1+N
Number of Earth Leakage Circuit Breakers (ELCBs)	1
Operating Characteristic	Instantaneous
Position of Neutral Terminals	Right
Release Type	C

Material Compliance	
RoHS Information	CNIIB21EDRCB0121
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
RoHS Date	2021121
REACH Declaration	CNIIB21EDRCBO121
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	2021121
Conflict Minerals Reporting Template (CMRT)	9AKK108468A336
Technical UL/CSA	
Short-Circuit Current Rating (SCCR)	30 m/
Dimensions	
Product Net Width	69 mn
Product Net Height	0.085 n
Product Net Depth / Length	70 mn
Product Net Weight	0.171 kg
Ordering	
Package Level 1 Units	box 1 piec
Certificates and Declaratior	15
Declaration of Conformity - CE	No declaration needed
Installation	
Instructions and Manuals	No document needed

© 2024 ABB. All rights reserved.

#### **Popular Downloads**

Data Sheet, Technical Information 1SXF400005C2013

Classifications	
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363010
eClass	V11.0 : 27400618
Object Classification Code	F

#### Categories

Low Voltage Products and Systems  $\rightarrow$  Modular DIN Rail Products  $\rightarrow$  Residual Current Devices RCDs  $\rightarrow$  Residual Current Circuit Breakers with Overcurrent Protection RCBO





PRODUCT-DETAILS

## GSH201 AC-C25/0.03

# GSH201 AC-C25/0.03 Residual Current Circuit Breaker with Overcurrent Protection



General Information	
Extended Product Type	GSH201 AC-C25/0.03
Product ID	2TAZ220111R2254
EAN	6940342285366
Catalog Description	GSH201 AC-C25/0.03 Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH201 AC-C25/0.03

Technical	
Standards	IEC 61009
	GB 16917
Tripping Characteristic	C
Type of Residual Current	Type AC
Rated Operational	230 V AC
Voltage	
Rated Current (In)	25 A
Rated Residual Current	30 mA
Rated Short-Circuit	6 kA
Capacity	

© 2024 ABB. All rights reserved.

2024/09/03

### GSH201 AC-C25/0.03

Maximum Breaking Capacity	6 kA
Number of Protected Poles	1
Number of Poles	1+N
Number of Earth Leakage Circuit Breakers (ELCBs)	1
Operating Characteristic	Instantaneous
Position of Neutral Terminals	Right
Release Type	С

Material Compliance	
RoHS Information	CNIIB21EDRCBO121
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
RoHS Date	20211216
REACH Declaration	CNIIB21EDRCBO121
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	2021121
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Technical UL/CSA	
Short-Circuit Current Rating (SCCR)	30 m/
Dimensions	
Product Net Width	69 mr
Product Net Height	0.085 m
Product Net Depth / Length	70 mr
Product Net Weight	0.171 kg
Ordering	
Package Level 1 Units	box 1 piece
Certificates and Declaration	S
Declaration of Conformity - CE	No declaration needed
Installation	
Instructions and Manuals	No document needed

© 2024 ABB. All rights reserved.

#### **Popular Downloads**

Data Sheet, Technical Information 1SXF400005C2013

Classifications	
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363010
eClass	V11.0 : 27400618
Object Classification Code	F

#### Categories

Low Voltage Products and Systems  $\rightarrow$  Modular DIN Rail Products  $\rightarrow$  Residual Current Devices RCDs  $\rightarrow$  Residual Current Circuit Breakers with Overcurrent Protection RCBO

