




Building Construction



Cement Plants



Marine Industries



Infrastructure

NEW

Product information as at: 02/2013

ENYCON

Assemblies for Construction Sites




PASSION FOR POWER.



ENYCON

- For temporary power distribution upto 630A
- Degree of Protection: IP44 - IP65
- Thermoplastic (polycarbonate)
- Insulated and shock proof
- Dust proof & Water tight
- Anti - Corrosive
- Inner cover for additional protection for unskilled operators
- Impact proof
- In accordance with IEC 60 439 part 4 "Particular requirements for Assemblies for Construction sites"




Outgoings via CEE sockets up to 63 A




Inner cover for additional protection for unskilled operators



Choice of mounting frames



Glow wire test passed with 960° C




| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---------------------|--|----------------------|-------------------------|--|--|--|
| 1. | CP 3001 CP 3001W | Thermoplastic Polycarbonate 700x900x525mm | IP 44 IP 65 | M32 / M25 Each 2Nos. | 40A FP 100mA RCCB with terminals suitable up to 25 Sq.mm | 32A 5Pin Socket 1No. 16A 5Pin Socket 2Nos. 16A 3Pin Socket 1No. | 32A TP MCB - 1No. 16A TP MCB - 2Nos. 16A SP MCB - 1No. |
| | CP 3002 CP 3002W | Thermoplastic Polycarbonate 700x900x525mm | IP 44 IP 65 | M32 / M25 Each 2Nos. | 40A FP 100mA RCCB with terminals suitable up to 25 Sq.mm | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Socket 3Nos. | 32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 3Nos. |
| | CP 3003 CP 3003W | Thermoplastic Polycarbonate 700x900x525mm | IP 44 IP 65 | M32 / M25 Each 2Nos. | 40A FP 100mA RCCB with terminals suitable up to 25 Sq.mm | 16A 5Pin Socket 1No. 16A 3Pin Socket 4Nos. | 16A TP MCB - 1No. 16A SP MCB - 4Nos. |
| | CP 3004 CP 3004W | Thermoplastic Polycarbonate 700x900x525mm | IP 44 IP 54 | M32 / M25 Each 2Nos. | 40A FP 100mA RCCB with terminals suitable up to 25 Sq.mm | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Schuko Socket 3Nos. | 32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 3Nos. |
| | CP 3005 CP 3005W | Thermoplastic Polycarbonate 700x900x525mm | IP 44 IP 65 | M32 / M25 Each 2Nos. | 63A FP 100mA RCCB with terminals suitable up to 25 Sq.mm | 63A 5Pin Socket 1No. 32A 5Pin Socket 1No. 16A 3Pin Socket 1No. | 63A TP MCB - 1No. 32A TP MCB - 1No. 16A SP MCB - 1No. |

Note: CEE plugs to be ordered separately

Application References






Customised solutions? Contact us!

| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---------------------|---|----------------------|---------------------------------------|--|---|---|
| 2. | CP 5001 CP 5001W | Thermoplastic Polycarbonate 700x1050x525mm | IP 44 IP 65 | M40 / M32 Each 1 No. M25 2 Nos. | 63A FP 100mA RCCB with Terminals suitable up to 50 Sq. Mm | 32A 5Pin Socket - 2 Nos. 16A 3Pin Socket - 8 Nos. | 32A TP MCB - 2 Nos. 16A SP MCB - 8 Nos. |
| | CP 5002 CP 5002W | Thermoplastic Polycarbonate 700x1050x525mm | IP 44 IP 65 | M40 / M32 Each 1 No. M25 2 Nos. | 63A FP 100mA RCCB with Terminals suitable up to 50 Sq. Mm | 32A 5Pin Socket - 2 Nos. 16A 5Pin Socket - 2 Nos. 16A 3Pin Socket - 6 Nos. | 32A TP MCB - 2 Nos. 16A TP MCB - 2 Nos. 16A SP MCB - 6 Nos. |
| | CP 5003 CP 5003W | Thermoplastic Polycarbonate 700x1050x525mm | IP 44 IP 54 | M40 / M32 Each 1 No. M25 2 Nos. | 63A FP 100mA RCCB with Terminals suitable up to 50 Sq. Mm | 32A 5Pin Socket - 2 Nos. 16A 5Pin Socket - 2 Nos. 16A 3Pin Schuko Socket - 6 Nos. | 32A TP MCB - 2 Nos. 16A TP MCB - 2 Nos. 16A SP MCB - 6 Nos. |
| | CP 5004 CP 5004W | Thermoplastic Polycarbonate 700x1050x525mm | IP 44 IP 65 | M40 / M32 Each 1 No. M25 2 Nos. | 100A FP 100mA RCCB with Terminals suitable up to 50 Sq. Mm | 63A 5Pin Socket - 1 No. 32A 5Pin Socket - 1 No. 16A 5Pin Socket - 2 Nos. 16A 3Pin Socket - 6 Nos. | 63A TP MCB - 1 No. 32A TP MCB - 1 No. 16A TP MCB - 2 Nos. 16A SP MCB - 6 Nos. |
| | CP 5005 CP 5005W | Thermoplastic Polycarbonate 700x1050x525mm | IP 44 IP 65 | M40 / M32 Each 1 No. M25 2 Nos. | 100A FP 100mA RCCB with Terminals suitable up to 50 Sq. Mm | 32A 5Pin Socket - 2 Nos. 16A 5Pin Socket - 3 Nos. 16A 3Pin Socket - 3 Nos. | 32A TP MCB - 2 Nos. 16A TP MCB - 3 Nos. 16A SP MCB - 3 Nos. |
| | CP 5006 CP 5006W | Thermoplastic Polycarbonate 700x1050x525mm | IP 44 IP 65 | M40 / M32 Each 1 No. M25 2 Nos. | 125A FP 100mA RCCB with Terminals suitable up to 50 Sq. Mm | 63A 5Pin Socket - 1 No. 32A 5Pin Socket - 2 Nos. 16A 5Pin Socket - 2 Nos. 16A 3Pin Socket - 3 Nos. | 63A TP MCB - 1 No. 32A TP MCB - 2 Nos. 16A TP MCB - 2 Nos. 16A SP MCB - 3 Nos. |

Note: CEE plugs to be ordered separately




Handheld Extension Boxes

Customised solutions? Contact us!

| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---------|-------------------------------|----------------------|-------------|---------|-----------|---------------------|
|---------|---------|-------------------------------|----------------------|-------------|---------|-----------|---------------------|

| | | | | | | | |
|----|---------------------|---|----------------|---|----------------------------------|---|----------------------------|
| 1. | CP 6001 CP 6001W | Thermoplastic Polycarbonate 290x250x169mm 290x250x168mm | IP 44 IP 54 | 32A 5Pin plug with 5Cx6Sq.mm 2 mtr. cable with gland | Terminals suitable up to 10Sq.mm | 16A 5Pin Socket - 2Nos, 16A 3Pin Schuko Socket - 3Nos. | |
| | CP 6002 CP 6002W | Thermoplastic Polycarbonate 290x250x180mm 290x250x182mm | IP 44 IP 65 | 32A 5Pin plug with 5Cx6Sq.mm 2 mtr. cable with gland | Terminals suitable up to 10Sq.mm | 32A 5Pin Socket 1 No | 40A FP 30mA RCCB - 1No. |
| | CP 6003 CP 6003W | Thermoplastic Polycarbonate 285x250x126mm 285x250x126mm | — IP 55 | 16A 3Pin plug with 3Cx2.5Sq.mm 2 mtr. cable with gland | Terminals suitable up to 4Sq.mm | 16A domestic dual rated 3/5Pin socket 1 No. | 25A DP 30mA RCCB - 1No. |
| | CP 6004 | Thermoplastic Polycarbonate 285x250x126mm | — | 16A 3Pin plug with 3Cx2.5Sq.mm 2 mtr. cable with gland | Terminals suitable up to 4Sq.mm | 16A domestic dual rated 3/5Pin socket 2 Nos. | 25A DP 30mA RCCB - 1No. |
| | CP 6005 CP 6005W | Thermoplastic Polycarbonate 285x250x168mm 285x250x168mm | IP 44 IP 65 | 16A 3Pin plug with 3Cx2.5Sq.mm 2 mtr. cable with gland | Terminals suitable up to 4Sq.mm | 16A 3Pin Socket 2 Nos. | 25A DP 30mA RCCB - 1No. |



Customised solutions? Contact us!

Self Standing Extension Boxes

| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---------|-------------------------------|----------------------|-------------|---------|-----------|---------------------|
|---------|---------|-------------------------------|----------------------|-------------|---------|-----------|---------------------|

| | | | | | | | |
|----|---------------------|---|----------------|---|----------------------------------|---|----------------------------|
| 1. | CP 7001 CP 7001W | Thermoplastic Polycarbonate 290x210x169mm 290x210x168mm | IP 44 IP 54 | 32A 5Pin plug with 5Cx6Sq.mm 2 mtr. cable with gland | Terminals suitable up to 10Sq.mm | 16A 5Pin Socket - 2Nos, 16A 3Pin Schuko Socket - 3Nos. | |
| | CP 7002 CP 7002W | Thermoplastic Polycarbonate 290x210x180mm 290x210x182mm | IP 44 IP 65 | 32A 5Pin plug with 5Cx6Sq.mm 2 mtr. cable with gland | Terminals suitable up to 10Sq.mm | 32A 5Pin Socket 1 No. | 40A FP 30mA RCCB - 1No. |
| | CP 7003 CP 7003W | Thermoplastic Polycarbonate 285x210x126mm 285x210x126mm | — IP 55 | 16A 3Pin plug with 3Cx2.5Sq.mm 2 mtr. cable with gland | Terminals suitable up to 4Sq.mm | 16A domestic dual rated 3/5Pin socket 1 No. | 25A DP 30mA RCCB - 1No. |
| | CP 7004 | Thermoplastic Polycarbonate 285x210x126mm | — | 16A 3Pin plug with 3Cx2.5Sq.mm 2 mtr. cable with gland | Terminals suitable up to 4Sq.mm | 16A domestic dual rated 3/5Pin socket 2 Nos. | 25A DP 30mA RCCB - 1No. |
| | CP 7005 CP 7005W | Thermoplastic Polycarbonate 285x210x168mm 285x210x168mm | IP 44 IP 65 | 16A 3Pin plug with 3Cx2.5Sq.mm 2 mtr. cable with gland | Terminals suitable up to 4Sq.mm | 16A 3Pin Socket 2 Nos. | 25A DP 30mA RCCB - 1No. |



| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---|-------------------------------|----------------------|------------------------|-------------------------|--|---------------------|
| 1. | CD 2351-1 (with cable) CD 2351-2 (without cable) | Synthetic Rubber 235 | IP 44 ▲ | 5C x 1.5Sq.mm - 20Mtrs | 16A 5Pin Plug Terminals | 16A 5Pin Socket 1No. | |
| | CD 2352-1 (with cable) CD 2352-2 (without cable) | Synthetic Rubber 235 | IP 44 ▲ | 3C x 1.5Sq.mm - 25Mtrs | 16A 3Pin Plug Terminals | 16A 3Pin Socket 1No. | |
| | CD 2355-1 (with cable) CD 2355-2 (without cable) | Synthetic Rubber 235 | IP 44 ▲ | 3C x 2.5Sq.mm - 25Mtrs | 16A 3Pin Plug Terminals | 16A 3Pin Schuko Socket 2Nos. | |
| | CD 2356-1 (with cable) CD 2356-2 (without cable) | Synthetic Rubber 235 | IP 44 ▲ | 3C x 2.5Sq.mm - 25Mtrs | 16A 3Pin Plug Terminals | 16A 3Pin Schuko Socket 3Nos. | |
| 2. | CD 3105-1 (with cable) CD 3105-2 (without cable) | Synthetic Rubber 310 | IP 44 ▲ | 5C x 2.5Sq.mm - 25Mtrs | 16A 5Pin Plug Terminals | 16A 5Pin Sockets 2Nos. | |
| | CD 3107-1 (with cable) CD 3107-2 (without cable) | Synthetic Rubber 310 | IP 44 ▲ | 5C x 2.5Sq.mm - 25Mtrs | 16A 5Pin Plug Terminals | 16A 3Pin Socket 2Nos. 16A 3Pin Schuko Sockets 1No. | |
| | CD 3108-1 (with cable) CD 3108-2 (without cable) | Synthetic Rubber 310 | IP 44 ▲ | 3C x 4Sq.mm - 25Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Schuko Socket 4Nos. | |
| | CD 3109-1 (with cable) CD 3109-2 (without cable) | Synthetic Rubber 310 | IP 44 ▲ | 3C x 4Sq.mm - 25Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Schuko Socket 5Nos. | |
| | CD 31010-1 (with cable) CD 31010-2 (without cable) | Synthetic Rubber 310 | IP 44 ▲ | 3C x 4Sq.mm - 25Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Socket 4Nos. | |
| | CD 31011-1 (with cable) CD 31011-2 (without cable) | Synthetic Rubber 310 | IP 44 ▲ | 3C x 4Sq.mm - 25Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Socket 1No. 16A 3Pin Schuko Socket 3Nos. | |
| | CD 31012-1 (with cable) CD 31012-2 (without cable) | Synthetic Rubber 310 | IP 44 ▲ | 3C x 4Sq.mm - 25Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Sockets 2Nos. 16A 3Pin Schuko Socket 2Nos. | |
| 3. | CD 3804-1 (with cable) CD 3804-2 (without cable) | Synthetic Rubber 380 | IP 44 ▲ | 3C x 2.5Sq.mm - 50Mtrs | 16A 3Pin Plug Terminals | 16A 3Pin Socket 2Nos. | 16A SP MCB - 2Nos. |

| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|--|-------------------------------|----------------------|---------------------------|--|--|---------------------|
| | CD 3807-1 (with cable) CD 3807-2 (without cable) | Synthetic Rubber 380 | IP 44 ▲ | 5C x 4Sq.mm - 33Mtrs | 32A 5Pin Plug Terminals | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Schuko Socket 2Nos. | |
| | CD 3808-1 (with cable) CD 3808-2 (without cable) | Synthetic Rubber 380 | IP 44 ▲ | 3C x 4Sq.mm - 33Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Schuko Socket 6Nos. | |
| | CD 3809-1 (with cable) CD 3809-2 (without cable) | Synthetic Rubber 380 | IP 44 ▲ | 3C x 2.5Sq.mm - 50Mtrs | 16A 3Pin Plug Terminals | 16A 3Pin Schuko Socket 3Nos. | 16A SP MCB - 3Nos. |
| | CD 38010-1 (with cable) CD 38010-2 (without cable) | Synthetic Rubber 380 | IP 44 ▲ | 3C x 4Sq.mm - 33Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Socket 5Nos. | |
| | CD 38011-1 (with cable) CD 38011-2 (without cable) | Synthetic Rubber 380 | IP 44 ▲ | 5C x 4Sq.mm - 33Mtrs | 32A 5Pin Plug Terminals | 16A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 4Nos. | |
| | CD 38012-1 (with cable) CD 38012-2 (without cable) | Synthetic Rubber 380 | IP 44 ▲ | 5C x 4Sq.mm - 33Mtrs | 32A 5Pin Plug Terminals | 16A 5Pin Socket 2Nos. 16A 3Pin Socket 2Nos. | |
| 4. | CD 4503-1 (with cable) CD 4503-2 (without cable) CD 4503-3 (Trolley with cable) CD 4503-4 (Trolley without cable) | Synthetic Rubber 450 | IP 44 ▲ | 5C x 6Sq.mm - 25Mtrs | 32A 5Pin Plug 40A FP 30mA RCCB Terminals | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Socket 1No. 16A 3Pin Schuko Socket 2Nos. | 16A SP MCB 2Nos. |
| | CD 4504-1 (with cable) CD 4504-2 (without cable) CD 4504-3 (Trolley with cable) CD 4504-4 (Trolley without cable) | Synthetic Rubber 450 | IP 44 ▲ | 5C x 4Sq.mm - 33Mtrs | 16A 5Pin Plug 25A FP 30mA RCCB Terminals | 16A 5Pin Socket 2Nos. 16A 3Pin Socket 1No. 16A 3Pin Schuko Socket 2Nos. | 16A SP MCB 2Nos. |
| | CD 4505-1 (with cable) CD 4505-2 (without cable) CD 4505-3 (Trolley with cable) CD 4505-4 (Trolley without cable) | Synthetic Rubber 450 | IP 44 ▲ | 5C x 6Sq.mm - 25Mtrs | 32A 5Pin Plug Terminals | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Socket 1No. 16A 3Pin Schuko Socket 2Nos. | 16A SP MCB 4Nos. |
| | CD 4506-1 (with cable) CD 4506-2 (without cable) CD 4506-3 (Trolley with cable) CD 4506-4 (Trolley without cable) | Synthetic Rubber 450 | IP 44 ▲ | 5C x 6Sq.mm - 50Mtrs | 32A 5Pin Plug 40A FP 30mA RCCB Terminals | 32A 5Pin Socket 1No. 16A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 2Nos. | 16A SP MCB 2Nos. |
| | CD 4507-1 (with cable) CD 4507-2 (without cable) CD 4507-3 (Trolley with cable) CD 4507-4 (Trolley without cable) | Synthetic Rubber 450 | IP 44 ▲ | 3C x 4Sq.mm - 50Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Schuko Socket 8Nos. | |
| | CD 4508-1 (with cable) CD 4508-2 (without cable) CD 4508-3 (Trolley with cable) CD 4508-4 (Trolley without cable) | Synthetic Rubber 450 | IP 44 ▲ | 3C x 4Sq.mm - 50Mtrs | 32A 3Pin Plug Terminals | 16A 3Pin Schuko Socket 8Nos. | 16A SP MCB 4Nos. |

Application References



Covers of the schuko sockets are made of thermoplastic. Opening angle of 180°. **Absolutely maintenance free.**

Compact and portable

Tinted transparent cover - easy access to breakers.

Every single combination comes with a test certificate (under the transparent cover) - for documented safety.

For rough use


Customised solutions? Contact us!

walther



| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---------|-------------------------------|----------------------|-------------|---------|-----------|---------------------|
|---------|---------|-------------------------------|----------------------|-------------|---------|-----------|---------------------|

| | | | | | | | |
|----|---------|-----------------------------------|---------|--|--|--|--|
| 1. | CR 1008 | Solid Rubber 270x270x310mm | IP 44 ▲ | | 25A FP 30mA RCCB 16A 5Pin Appliance Plug & Coupler 1No. | 16A 3Pin Schuko Socket 6Nos. | 16A SP MCB - 6Nos. |
| | CR 1009 | Solid Rubber 270x270x310mm | IP 44 ▲ | | 40A FP 30mA RCCB 32A 5Pin Appliance Plug & Coupler 1No. | 16A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 4Nos. | 16A TP MCB - 1No. 16A SP MCB - 2Nos. |
| | CR 1010 | Solid Rubber 270x270x310mm | IP 44 ▲ | | 63A 5Pin Appliance Plug & Coupler 1No. | 32A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 4Nos. | 32A TP MCB - 2Nos. 16A SP MCB - 4Nos. |
| | CR 1011 | Solid Rubber 270x270x310mm | IP 44 ▲ | | 63A 5Pin Appliance Plug & Coupler 1No. | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Schuko Socket 4Nos. | 32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 4Nos. |
| | CR 1012 | Solid Rubber 270x270x310mm | IP 44 ▲ | | 40A FP 30mA RCCB 32A 5Pin Appliance Plug & Coupler 1No. | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Schuko Socket 3Nos. | 16A TP MCB - 1No. 16A SP MCB - 3Nos. |
| | CR 1013 | Solid Rubber 270x270x310mm | IP 44 ▲ | | 63A 5Pin Appliance Plug & Coupler 1No. | 32A 5Pin Socket 1No. 16A 5Pin Socket 2Nos. | 32A TP MCB - 1No. 16A TP MCB - 2Nos. |
| | CR 1014 | Solid Rubber 270x270x310mm | IP 44 ▲ | | 63A 5Pin Appliance Plug & Coupler 1No. | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Socket 2Nos. | 32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 2Nos. |
| 2. | CR 2006 | Synthetic Rubber 270x270x450mm | IP 44 ▲ | | 63A FP 30mA RCCB 63A 5Pin Appliance Plug & Coupler | 32A 5Pin Socket 2Nos. 16A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 8Nos. | 32A TP MCB - 2Nos. 16A TP MCB - 2Nos. 16A SP MCB - 4Nos. |
| | CR 2007 | Synthetic Rubber 270x270x450mm | IP 44 ▲ | | 63A FP 30mA RCCB 63A 5Pin Appliance Plug & Coupler | 63A 5Pin Socket 1No. 32A 5Pin Socket 2Nos. 16A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 4Nos. | 32A TP MCB - 2Nos. 16A TP MCB - 2Nos. 16A SP MCB - 4Nos. |
| | CR 2008 | Synthetic Rubber 270x270x450mm | IP 44 ▲ | | 63A FP 30mA RCCB 63A 5Pin Appliance Plug & Coupler | 16A 5Pin Socket 3Nos. 16A 3Pin Socket 3Nos. 16A 3Pin Schuko Socket 4Nos. | 16A TP MCB - 3Nos. 16A SP MCB - 7Nos. |
| | CR 2009 | Synthetic Rubber 270x270x450mm | IP 44 ▲ | | 63A FP 30mA RCCB 63A 5Pin Appliance Plug & Coupler | 32A 5Pin Socket 1No. 32A 3Pin Socket 1No. 16A 5Pin Socket 2Nos. 16A 3Pin Socket 2Nos. 16A 3Pin Schuko Socket 4Nos. | 32A TP MCB - 1No. 32A SP MCB - 1No. 16A TP MCB - 2Nos. 16A SP MCB - 6Nos. |
| | CR 2010 | Synthetic Rubber 270x270x450mm | IP 44 ▲ | | 63A FP 30mA RCCB 63A 5Pin Appliance Plug & Coupler | 32A 5Pin Socket 2Nos. 16A 5Pin Socket 2Nos. 16A 3Pin Socket 2Nos. 16A 3Pin Schuko Socket 2Nos. | 32A TP MCB - 2Nos. 16A TP MCB - 2Nos. 16A SP MCB - 4Nos. |



| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---------|-----------------------------------|----------------------|-------------|---|---|--|
| 3. | CR 3006 | Synthetic Rubber 270x270x590mm | IP 44 ▲ | | 125A FP 30mA RCCB 125A 5Pin Appliance Plug & Coupler | 63A 5Pin Socket 1No. 32A 5Pin Socket 2Nos. 16A 5Pin Socket 2Nos. 16A 3Pin Socket 2Nos. 16A 3Pin Schuko Socket 3Nos. | 63A TP MCB - 1No. 32A TP MCB - 2Nos. 16A TP MCB - 2Nos. 16A SP MCB - 5Nos. |
| | CR 3007 | Synthetic Rubber 270x270x590mm | IP 44 ▲ | | 125A FP 30mA RCCB 125A 5Pin Appliance Plug & Coupler | 63A 5Pin Socket 2Nos. 32A 5Pin Socket 2Nos. 16A 5Pin Socket 2Nos. 16A 3Pin Socket 2Nos. | 63A TP MCB - 2Nos. 32A TP MCB - 2Nos. 16A TP MCB - 2Nos. 16A SP MCB - 2Nos. |
| | CR 3008 | Solid Rubber 270x270x590mm | IP 44 ▲ | | 125A FP 30mA RCCB 125A 5Pin Appliance Plug & Coupler | 32A 5Pin Socket 2Nos. 16A 5Pin Socket 2Nos. 16A 3Pin Socket 6Nos. | 32A TP MCB - 2Nos. 16A TP MCB - 2Nos. 16A SP MCB - 6Nos. |
| | CR 3009 | Solid Rubber 270x270x590mm | IP 44 ▲ | | 125A FP 30mA RCCB 125A 5Pin Appliance Plug & Coupler | 63A 5Pin Socket 1No. 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Socket 4Nos. 16A 3Pin Schuko Socket 4Nos. | 63A TP MCB - 1No. 32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 8Nos. |
| | CR 3010 | Solid Rubber 270x270x590mm | IP 44 ▲ | | 125A FP 30mA RCCB 125A 5Pin Appliance Plug & Coupler | 63A 5Pin Socket 2Nos. 32A 5Pin Socket 2Nos. 16A 3Pin Socket 4Nos. 16A 3Pin Schuko Socket 4Nos. | 63A TP MCB - 2Nos. 32A TP MCB - 2Nos. 16A SP MCB - 8Nos. |

Application References





Wall Mounting

Multiple Extension Units

| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---------|-------------------------------|----------------------|-------------|---------|-----------|---------------------|
|---------|---------|-------------------------------|----------------------|-------------|---------|-----------|---------------------|

Wall Mounting

| | | | | | | | |
|----|---------|-------------------------------|---------|--|--|--|--|
| 1. | CR 4001 | Solid Rubber 370x280x190mm | IP 44 ▲ | | 40A FP 30mA RCCB with terminals to terminate the incoming Cable with Gland | 16A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 3Nos. | 16A TP MCB - 2Nos. 16A SP MCB - 3Nos. |
| | CR 4002 | Solid Rubber 370x280x190mm | IP 44 ▲ | | 63A FP 30mA RCCB with terminals to terminate the incoming Cable with Gland | 32A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 3Nos. | 32A TP MCB - 2Nos. 16A SP MCB - 3Nos. |
| | CR 4003 | Solid Rubber 370x280x190mm | IP 44 ▲ | | 63A FP 30mA RCCB with terminals to terminate the incoming Cable with Gland | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Schuko Socket 3Nos. | 32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 3Nos. |
| | CR 4004 | Solid Rubber 420x345x213mm | IP 44 ▲ | | Suitable terminals to terminate the incoming with Cable Gland | 32A 5Pin Socket 2Nos. 16A 5Pin Socket 2Nos. 16A 3Pin Schuko Socket 4Nos. | 32A TP MCB - 2Nos. 16A TP MCB - 2Nos. 16A SP MCB - 4Nos. |
| | CR 4005 | Solid Rubber 420x345x213mm | IP 44 ▲ | | Suitable terminals to terminate the incoming with Cable Gland | 63A 5Pin Socket 1No. 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. 16A 3Pin Socket 1No. 16A 3Pin Schuko Socket 2Nos. | 63A TP MCB - 1No. 32A TP MCB - 1No. 16A TP MCB - 1No. 16A SP MCB - 3Nos. 25A DP 30mA RCCB 1No. (For Schuko only) |
| | CR 4006 | Solid Rubber 420x345x213mm | IP 44 ▲ | | Suitable terminals to terminate the incoming with Cable Gland | 63A 5Pin Socket 1No. 32A 5Pin Socket 1No. 16A 5Pin Socket 2Nos. 16A 3Pin Socket 2Nos. | 63A TP MCB - 1No. 32A TP MCB - 1No. 16A TP MCB - 2Nos. 16A SP MCB - 2Nos. |

Note: CEE plugs to be ordered separately

Multiple Extension Units

| | | | | | | | |
|----|---------------------|--|---------------------|---|----------------------------|--|--|
| 2. | CR 5005 CR 5005W | Solid Rubber 462x150x143mm 462x150x142mm | IP 44 ▲ IP 65 ▲▲ | 5C x 6Sq.mm Cable 2mtr with Gland | 32A 5pin Plug Terminals | 16A 5Pin Socket 2Nos. | 16A TP MCB - 2Nos. |
| | CR 5006 CR 5006W | Solid Rubber 462x150x155mm 462x150x156mm | IP 44 ▲ IP 65 ▲▲ | 5C x 6Sq.mm Cable 2mtr with Gland | 32A 5pin Plug Terminals | 32A 5Pin Socket 1No. 16A 5Pin Socket 1No. | 32A TP MCB - 1No. 16A TP MCB - 1No. |
| | CR 5007 | Solid Rubber 462x150x112mm | IP 54 ▲ | 5C x 2.5Sq.mm Cable 2mtr with Gland | 16A 5pin Plug Terminals | 16A 3Pin Schuko Socket 4Nos. | 25A FP 30mA RCCB - 1No. |
| | CR 5008 | Solid Rubber 462x150x112mm | IP 54 ▲ | 5C x 2.5Sq.mm Cable 2mtr with Gland | 16A 5pin Plug Terminals | 16A 3Pin Schuko Socket 6Nos. | |
| | CR 5009 CR 5009W | Solid Rubber 347x82x122mm 347x82x122mm | IP 44 ▲ IP 54 ▲ | 3C x 2.5Sq.mm Cable 2mtr with Gland | 16A 3pin Plug | 16A 3Pin Socket 1No. | 25A DP 30mA RCCB - 1No. |
| | CR 5010 CR 5010W | Solid Rubber 347x82x122mm 347x82x122mm | IP 44 ▲ IP 54 ▲ | 3C x 2.5Sq.mm Cable 2mtr with Gland | 16A 3pin Plug Terminals | 16A 3Pin Socket 2Nos. | |
| | CR 5011 | Solid Rubber 347x82x92mm | IP 54 ▲ | 3C x 2.5Sq.mm Cable 2mtr with Gland | 16A 3pin Plug | 16A 3Pin Schuko Socket 2Nos. | 25A DP 30mA RCCB - 1No. |
| | CR 5012 | Solid Rubber 347x82x92mm | IP 54 ▲ | 3C x 2.5Sq.mm Cable 2mtr with Gland | 16A 3pin Plug Terminals | 16A 3Pin Schuko Socket 3Nos. | |



Extension Cable Sets

| Sr. No. | Cat No. | Enclosure System / Dimensions | Degree of Protection | Cable Entry | Incomer | Outgoings | Outgoing Protection |
|---------|---------|-------------------------------|----------------------|----------------------|---------------|------------------|---------------------|
| 1. | CC 1001 | | IP44 ▲ | 3Cx2.5sq.mm -5mts | 16A 3Pin Plug | 16A 3Pin Coupler | |
| | CC 1002 | | IP67 ●● | 3Cx2.5sq.mm -5mts | 16A 3Pin Plug | 16A 3Pin Coupler | |
| | CC 1003 | | IP44 ▲ | 3Cx6sq.mm -5mts | 32A 3Pin Plug | 32A 3Pin Coupler | |
| | CC 1004 | | IP67 ●● | 3Cx6sq.mm -5mts | 32A 3Pin Plug | 32A 3Pin Coupler | |
| | CC 1005 | | IP44 ▲ | 3Cx16sq.mm -5mts | 63A 3Pin Plug | 63A 3Pin Coupler | |
| | CC 1006 | | IP67 ●● | 3Cx16sq.mm -5mts | 63A 3Pin Plug | 63A 3Pin Coupler | |
| | CC 1007 | | IP44 ▲ | 5Cx2.5sq.mm -5mts | 16A 5Pin Plug | 16A 5Pin Coupler | |
| | CC 1008 | | IP67 ●● | 5Cx2.5sq.mm -5mts | 16A 5Pin Plug | 16A 5Pin Coupler | |
| | CC 1009 | | IP44 ▲ | 5Cx6sq.mm -5mts | 32A 5Pin Plug | 32A 5Pin Coupler | |
| | CC 1010 | | IP67 ●● | 5Cx6sq.mm -5mts | 32A 5Pin Plug | 32A 5Pin Coupler | |
| | CC 1011 | | IP44 ▲ | 5Cx16sq.mm -5mts | 63A 5Pin Plug | 63A 5Pin Coupler | |
| | CC 1012 | | IP67 ●● | 5Cx16sq.mm -5mts | 63A 5Pin Plug | 63A 5Pin Coupler | |